

Haahr & Co. varenr. <i>se bilag</i>	Declaration of Conformity for materials and articles made of glass, porcelain, ceramic and enamel Version nr. 1, 15.10.2012, DL	Page:1 of 3 Gældende for Haahr & Co. A/S Ibrugtagningsdato/ Godkendt af <i>27/11-12 OL</i>
--	---	---

1	Haahr & Co. A/S Mådevej 20 6700 Esbjerg Tlf. +45 75 12 80 00 Fax +45 75 12 27 19 http://www.haahr-co.dk	
2	Identification of the product: <ul style="list-style-type: none"> • Name • Item No. • Description • Material • Photo 	Vista Alegre Atlantis, SA All products from V.A. Dinner and cook ware Porcelain in white Nothing

Haahr & Co. varenr. <i>Se bilag</i>	Declaration of Conformity for materials and articles made of glass, porcelain, ceramic and enamel Version nr. 1, 15.10.2012, DL	Page:2 of 3 Gældende for Haahr & Co. A/S Ibrugtningsdato/ Godkendt af <i>27/11-12 OL</i>
--	---	---

3	<p><u>General EU compliance:</u></p> <p>These articles comply with the requirements of Regulation 1935/2004-EC, and is produced and handled in accordance with the requirements of good manufacturing practice in Regulation 2023/2006-EC.</p> <p><u>Compliance with specific EU rules:</u></p> <p>These articles comply with the requirements of contagion of lead and cadmium in Directive 84/500-EEC</p> <p><u>Compliance with Danish rules:</u></p> <p>These articles comply with the requirements of contagion of lead and cadmium from ceramic and enameled objects and glassware, given the Ordinance on Food Contact Materials # 579 of 1 June 2011.</p>
4	<p>These articles are suitable for contact with all types of food at the expected and foreseeable use.</p> <p>These articles are intended for contact with food at temperatures up to <u>200</u> ° C for up to <u>0.5</u> hours (Thermal Shock resistance, according to EN 1183)</p> <p>Representative samples of these, or similar articles, have been examined for compliance with the requirements of Section 3 and the articles in this lot are produced under similar conditions, using identical raw materials, from the same manufacturer.</p> <p>If the Danish Food Authorities so requests, Haahr & Co. A/S will provide the necessary background documentation.</p>

Erna Jørgensen

 Supplier name - Signature

23/11/2012

 Date

Haahr & Co. varenr. <i>Se bilag</i>	Declaration of Conformity for materials and articles made of glass, porcelain, ceramic and enamel Version nr. 1, 15.10.2012, DL	Page:3 of 3 Gældende for Haahr & Co. A/S Ibrugtagningsdato/ Godkendt af <i>27/11-12 DL</i>
--	---	---

On behalf of Haahr & Co. A/S

HAAHR & CO. ISENKRAM A/S
MÅDEVEJ 20 - 6700 ESBJERG
TLF: 75 12 80 00 - FAX: 75 12 27 19

D. Langevad

Signature

27/11-12

Date

Nummer	EAN-nummer	Beskrivelse	Leverandørs varenr.
5001600	5601266490380	PASTATALLERKEN 30 CM LUNA	21081877
5001602	5601266719085	FAD OVALT 36 CM LUNA 38001358	38001358
5001603	5601266727660	SALATBOWLE LUNA 5,2 L	38001365
5001604	5601266719061	SALATBOWLE 3 L LUNA	38001356
5001605	5601266719054	SALATBOWLE 0,66 L LUNA	38001355
5001606	5601266727653	SALATBOWLE 1,5 L LUNA 38001364	38001364
5001607	5601266719047	RAMEKIN 0,24 L LUNA 38001354	38001354
5001608	5601266815398	ÆGGEPANDE OVAL 22,5 X 12 CM	38001530
5001609	5601495425993	ÆGGEPANDE OVAL 25 X 14 CM	38000163
5001610	5601266835211	ÆGGEPANDE OVAL 28 X 15 CM	38001546
5001611	4001763649013	ÆGGEPANDE OVAL 32 X 16,5 CM	38000145
5001612	5601266837949	ÆGGEPANDE RUND 18 X 15 CM	38000484
5001613	5601495720012	ÆGGEPANDE RUND 22 X 18 CM	38000474
5001614	5601266835464	TÆRTEFORM 21,5 CM 38001567	38001567
5001615	5601495065991	TÆRTEFORM 26 CM 38000395	38000395
5001616	5601495066493	TÆRTEFORM 29 CM 38000376	38000376
5001617	5601495066998	TÆRTEFORM 12 CM 38000412	38000412
5001618	5601266837925	OVNFAST FAD OVALT 24,5 X 16,5	38000060
5001619	5601266835105	OVNFAST FAD OVALT 28,5 X 19 CM	38001534
5001620	5601266837413	OVNFAST FAD OVALT 31 X 22 CM	38001536
5001621	5601495422992	OVNFAST FAD OVALT 32,5 X 22,5	38000022
5001622	5601266815480	OVNFAST FAD OVALT 36,5 X 25,5	38001531
5001623	5601495421995	OVNFAST FAD REKT 26,5 X 20,5	38000103
5001624	5601495421490	OVNFAST FAD REKT. 31 X 24,5	38000086
5001625	5601266837956	OVNFAST FAD REKT. 42,8 X 24	38000667
5001626	5601495427997	OVNFAST FAD OVALT 39,5 X 27,5	38000068
5001627	5601495720265	RAMEKIN Ø:6,5 CM H:3 CM	38000536
5001628	5601495063997	RAMEKIN Ø:9 CM H:4,5 CM	38000424
5001629	5601495005997	SUPPESKÅL 0,35 L Ø:12 CM	38000280
5001630		RAMEKIN Ø:8 CM H: 8 CM	38001581
5001631	5601495065496	SOUFFLESKÅL 23 CM CA. 2 L	38000347
5001632	5601266837994	SOUFFLESKÅL Ø 20 CA. 1,5 L	38000354
5001633	5601495064994	SOUFFLESKÅL Ø:15 CA. 0,9 L	38000368
5001634	5601495422497	OVNFAST FAD KVAD. 22 X 22 CM	38000118
5001635	5601495424996	OVNFAST FAD KVAD. 16 X 16	38000132
5001636	5602873862133	OVERKOP 610/18 CL EUROPA	21079157
5001637	5602873822052	UNDERKOP 18 CL. 210/18	21076276
5001638	5602873821956	TALLERKEN FLAD 250/19 CM	22002532
5001639	5602873821949	TALLERKEN FLAD 250/15 CM	22002533
5001640	5602873821963	TALLERKEN DYB 250/21 CM	22002536
5001641	5602873821987	TALLERKNER FLAD 25 CM	21075318
5001642	5602873821994	TALLERKEN FLAD 250/28 CM	21075292
5001655	5601495790008	GASTRO FAD 53 X 32,5 X 6 CM	38000917
5001656	5601266762425	GASTRO-FAD 32,5 X 26,5 X 6 CM	38001465
5001657	5601266762432	GASTRO-FAD 32,5 X 26,5 X 10 CM	38001466
5001658	5601495790756	GASTRO-LÅG 32,5 X 26,5 CM	38000967
5001659	5601266762449	GASTRO-FAD 32,5 X 17,6 X 6 CM	38001467
5001660	5601266762456	GASTRO-FAD 32,5 X 17,6 X 10 CM	38001468
5001661	4001763321018	GASTRO-LÅG 32,5 X 17,6 CM	38001005

5001662	5601266762463	GASTRO-FAD 17,6 X 16,2 X 6 CM	38001469
5001663	5601266762470	GASTRO-FAD 17,6 X 16,2 X 10 CM	38001470
5001664	4001763324019	GASTRO-LÅG 17,6 X 16,2 CM #	38001032
5001665	5601266948171	GASTROFAD SORT 32,5 X 17,6 X 6	38001768
5001666	5601266948140	GASTROFAD SORT 32,5 X 26,5 X 6	38001766
5001667	5601266948126	GASTROFAD SORT 53 X 32,5 X 6	38001765
5001668	5601266972374	OVNFAST FAD REKT. SORT	38001828
5001669	5601266961347	OVNFAST FAD REKT. SORT	38001807
5001670	5601266966076	OVNFAST FAD OVAL SORT 48X27	38001815
5001671	5601266966090	OVNFAST FAD OVAL SORT 56X19	38001817
5001672	5601266966038	LUNA SALATBOWLE SORT 14 CM	38001811
5001673	5601266966106	LUNA SALATBOWLE SORT 18 CM	38001818
5001674	5601266966045	LUNA SALATBOWLE SORT 23 CM	38001812
5001675	5601266966113	LUNA SALATBOWLE SORT 27CM	38001819
5010600		DÆKKETALLERKEN 32 X 32 CM #	21085929
5010601	5601266665726	TALLERKEN RUND 28 CM	21085928
5010604	5601266696874	TALLERKEN ØJEFORMET 21 X 12	21085927
5010605	5601266696874	OVALT FAD 48 CM ORGANIC	21087656
5010606	5601266797168	TALLERKEN TREKANTET 40,6 X 40	21094085
5010607	5601266738451	ESPRESSO/KAFFE + UNDERKOP	21090841
5010610	5601266805795	SALATSKÅL 21 X 18 X 7 CM	21094637
5010611	5601266797137	SALATSKÅL 14 X 12 X 5 CM	21094081
5010613	5601266797144	TALLKERNE SUSHI 15 CM	21094082
5010614	5601266805788	SAUCESKÅL 12,5 CM 125 ML	21094636
5010615	5601266797106	BOUILLONKOP + UNDERKOP	21094078
5010630	5602873821888	FAD OVALT 25 X 17 CM 21075657	21075657
5010633	5602873881288	TALLERKEN 32 CM ESTORIL	21079650
5010640	5602873811148	ESPRESSO KOP 9 CL 21075084	21075084
5010641	5602873822021	ESPRESSO UNDERKOP 9 CL	21077296
5010642	5602873811162	KAFFE KOP 18 CL 21074614	21074614
5010643	5602873811186	CAPPUCCINO KOP 26 CL 21075248	21075248
5010644	5602873822106	UNDERKOP CAPPUCCINO 26 CL	21077817
5010645	5602873811261	TALLERKEN 17 CM COIMBRA	22000561
5010646	5602873811278	TALLERKEN 19 CM COIMBRA	22000442
5010647		TALLERKEN 24 CM COIMBRA	22000440
5010648	5602873811308	TALLERKEN 28 CM COIMBRA	21073966
5010649	5602873811285	TALLERKEN DYB 21 CM COIMBRA	22000441
5010650	5601266630984	TALLERKEN 27 X 19 CM CARRÈ	21083886
5010651	5601266630953	TALLERKEN 26 X 26 CM CARRÈ	21083883
5010652	5601266630946	TALLERKEN 31 X 31 CM CARRÈ	21083882

SGS

Certificado de Conformidade

Certificate of Registration
PT99/00040

O Sistema de Gestão da Organização Vista Alegre Atlantis, S.A.

Vista Alegre
3830-292 ILHAVO

e Unidade de Produção de Porcelana em Ílhavo, Unidade de Produção de Faiença ("CAPOA") em Aveiro, Unidade de Produção de Louça de Forno ("CEREXPOR") em Aveiro e Unidade de Produção de Cristal e Vidro ("ATLANTIS") em Alcobaça



foi auditado e cumpre com os requisitos da norma

NP EN ISO 9001:2008

Pelas actividades de:

Concepção e Fabricação de: Artigos de Porcelana;
Artigos de Cristal e Vidro; Artigos em Faiença;
Artigos de Forno em Porcelana e Grés; Decalques;
Comercialização de Cutelaria de Marca Vista Alegre.

Este certificado é válido desde

This certificate is valid from

26 de Novembro de 2009 até 21 de Setembro de 2012,

sujeito a auditorias de acompanhamento com resultados satisfatórios

26th November of 2009 until 21st September of 2012, and remains valid subject to satisfactory surveillance audits

Auditoria de Renovação a realizar antes de 21 de Julho de 2012

Re certification audit due before 21st July of 2012

Versão 6. Certificado pela SGS desde Setembro de 1999

Issue 6. Certified with SGS since September of 1999

IPAC
acreditação

A0003
Certificação
Qualidade

Autorizado por:

Authorized by

Luis Neves

Patricia Pereira

Direcção de Certificação
Certification Management

SGS

Pag. 1 de 1
Page 1 of 1



SGS SGS - Serviços Internacionais de Certificação
Polo Tecnológico de Lisboa, 6.º piso G
1600-545 Lisboa
217104200
217157527



L0008
Ensaaios

Vista Alegre Atlantis, S.A.

Vista Alegre
3830-292 Ílhavo
PORTUGAL

TEST REPORT 21384

2 nd issue: 2007.07.04
Alteration: Language

Reception Date 07.06.28

Issue Date 07.07.04

Requisition: 110120611

Product / Tests Description

LEAD AND CADMIUM EXTRACTED FROM GLAZED CERAMIC WARE:

- Porcelain: 6 Pieces ref. GN4B. Orange "Capôa" Colour.

Our Ref. 1, 2, 3, 4, 5, 6

Category: Small Holloware

-----X-----

The tests marked with (*) are not included in the scope of the Accreditation. The results expressed in the form "< QL " are smaller than the quantification limit of the equipment. Comments to the results are not included in the scope of the Accreditation.

The results presented refer only the tested items, selected by the client. This Laboratory does not undertake any responsibility on the representative of the sampling, unless it is carried out under the straight responsibility of Cencal. Sampling is out of the accreditation scope. If solicited the laboratory will sub-contract the sampling to a laboratory accredited for sampling

Partial reproduction of this report is not allowed. Any erasure nullify this Test Report. Any necessary alteration to the Test Report (not to the results) will be possible within one year (changing of language, for instance) Samples will be destroyed, if not claimed by the client, after 2 months.

This Test Report integrates

2, pages

Pág. 1/2



Vista Alegre Atlantis, S.A.

Vista Alegre
3830-292 Ilhavo
PORTUGAL

TEST REPORT 21384

2 nd issue. 2007.07.04
Alteration: Language

Reception Date 07.06.28

Accomplish date 07.07.03

Issue Date 07.07.04

LEAD AND CADMIUM EXTRACTED FROM GLAZED CERAMIC WARE

SCOPE: Determination of lead and cadmium extracted by acetic acid from glazed ceramic surfaces, after 24 h of leaching, measured by atomic absorption spectrophotometry using specific hollow cathod lamps for lead and cadmium respectively.

PRODUCT DESCRIPTION

Porcelain: 6 Pieces ref. GN4B, Orange "Capôa" Colour.

Our Ref. 1, 2, 3, 4, 5, 6

Category: Small Holloware

RESULTS

Parameter	1	2	3	4	5	6	Av.
Lead (mg/L)	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.
Cadmium(mg/L)	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.

Q.L - Quantification Limit
of Equipment
(=0.07 mg/L Pb)
(=0.01 mg/L Cd)

DECLARATION OF COMPLIANCE:

When tested as specified in guide NP 2098 (accordingly to guide ASTM C738), the submitted items **are in conformity** with the present requirements of FDA for maximum extractable lead and cadmium (U. S. Food and Drug Administration Compliance Policy Guide 7117.07; 7117.06), and are in conformity with the Proposition 65 of the California's Attorney General.



Leaching period : 24 hours from 00.30 p.m. - 07.07.02 to 00.30 p.m. - 07.07.03

Test Conducted by: Dulce Santos

Signature: 

Test checked by: Maria Helena Arrozo
(Laboratory Director)

Signature: 

 Taboeira		Quality Specification <u>EQ 0009</u> Porcelain	Revision: 8
			Date: 2009-07-23
			Pág: 1 de 1

1. OBJECTIVE









To define the limits for the acceptance of the final product properties for the colors and white Porcelain.

2. APPLICATION FIELD

Final Porcelain products fired in Vista Alegre unit factory (Taboeira).

3. DESCRIPTION

3.1. White ware, color ware and Decorated ware

Technical characteristics		Specifications
		Porcelain
 Lead and cadmium content		D.L. 190/2007
 Mechanical resistance	Flexion (Internal method)	> 680 Kg/cm ²
 Water absorption (ASTM C 329)		≤ 0.09 %
Behaviour on duty		
 Alkali resistance (detergency) (Internal method)		Stable
 Thermal shock resistance (T °C=290°C) (Internal method)		K ≥ 10
 "Quench" Test (EN 1183)		ΔT _{50°} = 200°
 Micro wave resistance (Internal method)		≥ 10 cycle
 Resistance to the Freezer		Stable



L0008
Ensaios

Vista Alegre Atlantis, S.A.

Vista Alegre
3830-292 Ilhavo
PORTUGAL

TEST REPORT 21385

2 nd issue: 2007.07.04

Alteration: Language

Reception Date 07.06.28

Issue Date 07.07.04

Requisition: 110120611

Product / Tests Description

LEAD AND CADMIUM EXTRACTED FROM GLAZED CERAMIC WARE:

- Porcelain: 6 Pieces ref. GN4B, Transparent Colour.

Our Ref. 1, 2, 3, 4, 5, 6

Category: Small Holloware

-----X-----

The tests marked with (*) are not included in the scope of the Accreditation. The results expressed in the form "< QL " are smaller than the quantification limit of the equipment. Comments to the results are not included in the scope of the Accreditation.

The results presented refer only the tested items, selected by the client. This Laboratory does not undertake any responsibility on the representative of the sampling, unless it is carried out under the straight responsibility of Cencal. Sampling is out of the accreditation scope. If solicited the laboratory will sub-contract the sampling to a laboratory accredited for sampling.

Partial reproduction of this report is not allowed. Any erasure nullify this Test Report. Any necessary alteration to the Test Report (not to the results) will be possible within one year (changing of language, for instance) Samples will be destroyed, if not claimed by the client, after 2 months.

This Test Report integrates 2 pages.

Pág 1/2



Vista Alegre Atlantis, S.A.

Vista Alegre
 3830-292 Ílhavo
 PORTUGAL

TEST REPORT 21385

2 nd issue: 2007.07.04
 Alteration: Language

Reception Date 07.06.28

Accomplish date 07.07.03

Issue Date 07.07.04

LEAD AND CADMIUM EXTRACTED FROM GLAZED CERAMIC WARE

SCOPE: Determination of lead and cadmium extracted by acetic acid from glazed ceramic surfaces, after 24 h of leaching, measured by atomic absorption spectrophotometry using specific hollow cathod lamps for lead and cadmium respectively.

PRODUCT DESCRIPTION

Porcelain: 6 Pieces ref. GN4B, Transparent Colour.

Our Ref. 1, 2, 3, 4, 5, 6

Category: Small Holloware

RESULTS

Parameter	1	2	3	4	5	6	Av.
Lead (mg/L)	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.
Cadmium(mg/L)	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.	<Q.L.

Q L - Quantification Limit
 of Equipment
 (=0.07 mg/L Pb)
 (=0.01 mg/L Cd)

DECLARATION OF COMPLIANCE:

When tested as specified in guide NP 2098 (accordingly to guide ASTM C738), the submitted items **are in conformity** with the present requirements of FDA for maximum extractable lead and cadmium (U. S. Food and Drug Administration Compliance Policy Guide 7117.07; 7117.06), and are in conformity with the Proposition 65 of the California's Attorney General.

Leaching period : 24 hours from 00.30 p.m. - 07.07.02 to 00.30 p.m. - 07.07.03

Test Conducted by: Dulce Santos

Signature: 

Test checked by: Maria Helena Arroz
 (Laboratory Director)

Signature: 